



Bill TO: Union County Public Works 500 North Main Street Suite 500 Monroe, NC 28112-4730
SHIP TO: Union County Public Works 4600 Goldmine Rd Monroe NC 28110

Total:	\$75,588.10
---------------	--------------------

I have a copy and have read the County Purchasing Policy.

SIGNATURE:

500 North Main St. - Ste. 600 • Monroe, North Carolina 28112-4730 • Phone: (704)296-4210 • Fax: (704)296-4232



RODDERS AND JETS SUPPLY CO

PO BOX 2577

SUMTER, SC 29151

TOLL FREE: 1-800-293-2012

FAX: 803-773-3666

WEB: RODDERSANDJETS.COM

EMAIL: RODDERSANDJETSCO@AOL.COM

QUOTATION# 051225F

MAY 12, 2025

RE: NORTH CAROLINA SHERIFF'S ASSOCIATION HEAVY EQUIPMENT
PROCUREMENT PROGRAM **BID# 24-08-0421R**

PRODUCT: SEWER EASEMENT MACHINE
ITEM 2558, DYNA VAC TRACK DRIVEN, MODEL# RHINO-100

CUSTOMER: UNION COUNTY, NC

BASE PRICE: \$71,998.50

OPTIONAL EQUIPMENT:

-WIRELESS REMOTE FOR TRACK DRIVE AND REEL IN/OUT	\$6,900.00
-FOOTAGE COUNTER	\$1,600.00
-ADDITIONAL 100' HOSE, 1"	\$ 390.00

PRICING SUMMARY:

BASE PRICE	\$71,998.50
OPTIONS TOTAL PRICE	\$ 8,890.00
LESS 6% OFF OPTIONS (PER NCSA CONTRACT)	(\$ 533.40)
LESS ADDITIONAL DISCOUNT TO UNION COUNTY	(\$ 4,500.00)

PURCHASE PRICE	\$75,855.10
	+ NC TAX

COMPLETED UNIT TO INCLUDE:

1.0 Track Drive System

- 1.1 Chermac 60RE Rubber Track System
- 1.2 5000lb Capacity
- 1.3 1.4mph Low, 2.5MPH High
- 1.4 Tracks Extend 12" for added stability
- 1.5 Heavy Duty Steel Undercarriage

2.0 Drive System

- 2.1 23.5hp V-Twin Gasoline Engine
- 2.2 Direct Mount Tandem Hydrostatic Pump
- 2.3 Aux Gear pump for secondary functions
- 2.4 6 gallon hydraulic oil tank with Sight Eye
- 2.5 Fan Cooled Hydraulic Oil Cooler
- 2.6 Hydraulic Oil Filters
- 2.7 High/Low Speed Control Valve
- 2.8 Forward/Reverse/Left/Right Controls
- 2.9 Variable Speed Vernier Throttle Control
- 2.10 6 gallon Fuel Tank with Gauge
- 2.11 Hour Meter

3.0 Reel

- 3.1 1" x 600ft Capacity
- 3.2 Hydraulic Powered In/Out
- 3.3 Variable Speed Control
- 3.4 Manual Level Wind Guide with Poly Roller
- 3.5 Manual Articulation, 180deg with V-Notched Lock
- 3.6 3000PSI Swivel Bearing with Grease Fitting
- 3.7 Tandem Reel Articulating Swivel Bearings, (Upper and Lower)
- 3.8 Reel Controls Adjacent to Hose Reel
- 3.9 600ft x 1" 2500psi Thermoplastic Jet Hose
- 3.10 Removable, Adjustable Outriggers for Reel Stability While Operating
- 3.11 Hose Holder on Right side of unit for pulling hose
- 3.12 Footage Counter

4.0 Accessories

- 4.1 Overhead Work lights
- 4.2 Water On/Off Control Valve
- 4.3 Pressure Blow Off Valve
- 4.4 Engine and Hydraulic Pump Shroud
- 4.5 Hydraulic Tool Circuit, 8.6GPM @ 1500PSI
- 4.6 Fold Down Drive Platform for Operator
- 4.7 Wireless Remote for Track Drive and Reel
- 4.8 Delivery and Training

6.0 Paint

- 6.1 All Steel Sandblasted
- 6.2 2 Coats High Solids Epoxy Primer
- 6.3 High Gloss Urethane Finish, Charcoal Grey

Warranty

- 1 Year Warranty on all fabricated parts
- 2 year Engine Warranty